Original Article

stics and

Environ

Personal stories of

mational gy. 1987:

ots under J. London.

s - a case

personnel.

overview.

Clinical

inning MR.

uses and

of Applied

Behaviour.

Delhi.

galore.

31(2):

# Temporal changes in visuo-spatial abilities amongst flying trainees

Wg Cdr Gurmukh Singh

Classified Specialist (Av Med) IAM IAF, Bangalore - 560 017

Computerized Cognitive Test Battery (CCTB) evolved by the author has been extensively used for objective evaluation of cognitive abilities pertinent to flying environment. In this study these abilities were assessed in 265 candidates at Air Force Selection Board and 145 stage I trainees and 102 stage II trainees at various flying training establishments. Out of these 42 flying trainees were common between stage I and II. The CCTB was administered on completion of 6 months and one year of training respectively in them. It was revealed that there was a significant improvement in various attributes. Mental rotation improved from 72.02 to 92.49 (± 15.46), Dual Performance showed improvement of 9.18 and 8.83% for letter and digit matching tasks respectively. There was a reduction in 3.9% in impulsivity and almost 100% increase in Latent Coordination Time (0.38 Secs to 0.69 Secs) which shows that flying training introduces the habit of more deliberate decisions. There was also a highly significant improvement in speed of perception (From 27.55 to 13.59 msecs +13.95). Visual Imagery also showed significant improvement scores in large number of subjects at AFSB and FTE's will also be presented to show the gradient of changes in the scores. In conclusion the results show that CCTB is a reliable and valid tool for assessment of visuo - spatial abilities.

Keywords: Visuo spatial ability, Aircrew selection, flying training

Indian Air Force uses a rather obsolete version of a battery of perceptual - motor tests in its PABT (Pilot Aptitude Test Battery). It is being realized that ecological validity of test batteries in the context of present day cockpit, would need addition of some novel cognitive concepts in their construction. No serious work has taken place in the direction of revising our own pilot selection methods.

There is a need to improve the selection of military aviation applicants in consonance with recent advances and innovations in computer technology and psychological theory/measurement. New emphasis is responsible for use of computer based

performance tasks in place of paper and pencil tests. USAF [1-4], Royal Navy [5] and New Zealand Air Force [6] have carried out a large scale effort to determine the validity of computer based test battery for pilot selection and classification. Dolgin and Gibb [7] have reviewed literature on mental abilities, attitudes and personality characteristics of aviators. 13 predominately perceptual - motor performance tests were incorporated in USAF BAT (Basic Attributes Test Battery) for fighter pilot selection. Kelly [8] has concluded that USAF is not able to obtain objective evaluation of its pilots.

Literature search on the cognitive abilities for flying has shown that speed of

40 (2) 1996

Ind. J. Aerospace Med. 40 (2) 1996

41

perception [9-11], visual imagery [12-15]. mental rotation [16] and dual performance [17-18] are important variables for flying. We have carried out work on the perceptuocognitive abilities [19] and personality profile [20] of ab-initio flying trainees. Later we conducted field trials on one of the tests of mental rotation vis-a-vis performance in flying and found its usefulness in assessment of cognitive abilities for flying [21].

Our present work involves extensive mid course assessment of cognitive attributes of flying trainees with the help of Computerized Cognitive Test Battery devised by us. The inputs from this study are intended to be used for categorization of flying trainees as well as evolve standards for initial screening of flying trainees for selection. In this study we are reporting the details of temporal changes in cognitive scores in 42 flying trainees who underwent this procedure during stage I and stage II flying training.

#### Material and methods

#### Computerized Cognitive Tests

Inspection Time: This is a test for finding out speed of perception of small detail. We get two lines of different size on the screen. which are replaced by thick solid lines after a programmed period of exposure. The lines appear for 200 ms initially and the time of exposure is reduced to 1 ms in gradual stepladder fashion. The threshold of perception in terms of exposure is called inspection time.

Visual Imagery and Visuo-Motor Coordination This test finds out the limit of visual imagery in terms of short-term storage of common objects. The objects

come on the screen at random location on an imagery circle. The subject has to memorize the location of the objects on the screen and reproduce the same after a brief exposure. The latent and movement time for each screen along with the correctness of the response is given after each trial. Final score on number of images correctly replaced along with the period of exposure indicates the maximum tolerance of the subject.

Mental Rotation: This test is done with the help of Flags. The computer screen shows two flags. One on right top shows the flag in normal upright orientation and the other flag in the center is the rotated version of the reference flag. The reference flag is rotated as it is or reversed and rotated. The subject has to decide whether it is the same side rotation or is it a reverse side rotation.

Dual performance test: This test measures the ability to carry out two tasks concurrently. The subject is to press one key at rhythmic intervals. Concurrently he is required to maintain vigilance on two circles located on the left and right top of the screen with six letters and digits each. Scores are obtained for matching accuracy for letters. digits as well as for keeping the rhythme key presses closer to the central line.

#### Subjects

The study has been conducted in a phasel manner. After initial development of the tot battery, it has been administered to pile candidates in the National Defence Academ entry as well as Stage I and Stage II flying trainees

> (a) 265 candidates reporting to No. Air Force Selection Board from February to April 1996 wer

admi 42 st train

in No

(c) 205 s (n =flying batter includ part ir

## Methodology

All the 4 tests administered in the uniform instruc minimal explana conduct of the ti about 35-40 min

2.	VIT
3.	LT_M
4.	LT_SD
5,	MT_M
6.	MT_SE
7.	MRT
.8.	IMP
9.	LMS
10.	DMS
11.	TP_M
12.	TP_SD
II	ME LIN
LTM	= 0

MT M

MRT

LMS

TP M

administered the test battery.

- 42 subjects undergoing Stage 1 training participated in this study in Nov 1995.
- (c) 205 subjects undergoing Stage I (n = 103) and Stage II (n = 102) flying were administered the test battery in April/May 1996 which included the 42 subjects who took part in this study in Nov. 1995.

#### Methodology

All the 4 tests described above were administered in the same order. Each test had uniform instructions on the screen and minimal explanation was required in the conduct of the trials. Each candidate took about 35-40 minutes in the completion of

the tests.

### Results and discussion

Table I provides comparative analysis of visuo spatial abilities in respect of 42 trainees who were administered the test battery in both Stage I and Stage II training. This shows that Mental Rotation and Dual Performance Tests showed maximum improvement along with the scores on Inspection Time. The latent time increased and impulsivity reduced significantly. This shows that flying training resulted in more deliberate decision making. The improvement in visual imagery was not statistically significant. In addition there was no significant change in time perception and movement time.

Table I: Temporal Changes in Visuospatial Abilities (N = 42)

		Stage I Sign (p)			Stage II				Mean
		Mean	SD	Mean		SD	Diff	Value	
1.	IT	7.55	22.05	13.59	2	0.27	13.95	4.15	0.00
2	VIT	57.98	8.01	60 45		7.17	-2.48	-1.71	N
3.	LT_M	0.38	0.20	0.69		0.25	-0.31	-7.27	0.00
4	LT_SD	0.41	0.31	0.46		0.53	-0.05	-0.50	NS
5.	MT_M	2.28	0.87	2.11		1 09	0.17	0.99	N:
6,	MT_SE	0.89	0.45	0.93		0.86	-0.04	0.26	N:
7.	MRT	77.02	24.62	92.49	2	4 16	-15.46	-6.47	0.00
8.	IMP	13.73	8.86	9.83		6.63	3.90	4.36	0.000
9.	1.MS	57.32	18.06	56.49	- 1	7.31	-918	-2.98	0.00.
10.	DMS	63.98	13.98	72.81	1	3.69	-8.83	-3.30	0.00.
11.	TP_M	3.63	0.53	3.70		0.56	-(),()7	-() 82	N <sup>s</sup>
12.	TP_SD	0.92	0.35	0.87		0.28	0.40	0.67	NS
El,		Inspection			VIT	-		uul Imagery 1	
LT_M	=		atent Time		1.T_SD			of Latent Tin	
MT_M	=		Novement Time		MT SD	=	SD	of Movemen	Time
MRT	- 11		tation Test		IMP			nulsivity	
LMS	=		ching Score		DMS		01519	it Matching S	core
TP_M	=	Mean of T	ime Perception		TP_SD	-	SD	of TP	

op shows the flag in and the other flag ited version of the ence flag is rotated otated. The subject it is the same side side rotation.

This test measures

indom location on

e subject has to

the objects on the

same after a brief

movement time for

ecorrectness of the

ch trial. Final score

correctly replaced

exposure indicates

est is done with the

outer screen shows

of the subject

This test measures out two tasks it is to press one key Concurrently he is lance on two circles that top of the screen its each. Scores are centracy for letters, eping the rhythmic central line.

ducted in a phased relopment of the test ministered to pilot al Defence Academy and Stage II flying

es reporting to No 2 lection Board from April 1996 were Temporal changes in visuo-spatial abilities amongst flying trainees - Gurmukh Singh

Table II : Percentile Values : Mental Rotation Test

%	2 AFSB	Stage 1	Stage II
	(n = 226)	(n 145)	(n = 102)
1.	14.8	26.6	37.7
5.	34.6	40.5	48.0
10	40.5	46.0	53.0
15	44.5	49.9	55.2
20	48.5	55.3	60,3
25	42.7	59.9	63.5
30	54.5	60.3	67.9
35	58.5	64.5	74.5
40	51	69.2	77.2
45	64.5	71.8	82.8
50	68.5	75.5	86.5
55	70.5	80.8	88.6
60	75.5	83.5	92.0
65	81.9	86.3	98.0
70	84.1	90	104.0
75	88.7	93.7	106.6
80	94.4	98.4	111
85	98.5	109.1	115
90	104.5	110.5	120.6
95	115.5	116.5	123.0
99	124.5	126.9	130.8

Table III : Percentile Values : Dual Performance Test

%	2 A	FSB	Stag	c I	Stag	c II	
	(N =	266)	(N -	(45)	(N = 102)		
	LMS	DMS	LMS	DMS	LMS	DM:	
1	0.41	3.8	13.3	22.2	7.4	4.7	
5	14.5	13:0	31.9	37.3	40.9		
10	19.9	22.2	36.1	42.3	42.0	49.0	
15	23.2	31.9	39.8	49.0	47.1	52.5	
20	27.9	36.5	42.6	52.0	48.6	55.1	
25	31.8	39.1	46.4	53.7	50.3	59.1	
30	35.5	41.6	49.5	57.9	53.4	62.6	
35	37.8	45.5	52.0	59.2	57.1	64.4	
40	42.6	47.9	55.7	61.0	59.2	67.4	
45	46.1	50.9	58.2	62.9	60.5	69.9	
50	50.2	53.4	61.0	64.0	63.6	7(1,9	
55	50.3	55.6	62.9	66.0	67.2	722	
60	57.1	58.6	64.9	67.9	67.8	72.8	
65	59.8	61.3	66.3	69.5	69.2	75.6	
70	53.2	64.3	68.5	71.4	70.4	76.É	
75	55,2	66.4	70.2	74.0	72.8	79.7	
80	69.3	69.7	73.1	76.7	76.4	80.4	
85	74.8	72.5	78.8	79.3	81.6	84.2	
90	79,9	78.8	82.3	81.2	85.1	895	
95	83.3	83.8	85.8	84.7	91.6	92.1	
-		00.0	02.2	11.1.11	09.2	0011	

Table II and III provide percentile values of the selected cognitive variable in AFSB candidates, Stage I trainees as well as stage II trainees. The percentile values are also presented in graphical form in Fig 1, 2 and 3 for visual imagery, mental rotation

and dual performance. The data show he there is consistent gradient of improvement in the performance from selection completion of flying training in ment rotation and dual performance whereast improvement is not consistent in the case scores on seen acros Test but on of Dual Per

The ar score of 70 to 32 perce test. Further DMS corres values responsable of pragmatic conferences streams.

## Conclusion

The cognitivalidity for p
Mental Rotati
Test in this b
down norms
pperational cl

There is performance of period of 2 to who are found abilities.

This study 3 courses i Establishments in this study is

## References

- Kentor JE, C. systems; Aviatio Med 1988; 59:A.
- 2. Banich MT, Ell screening of avia and Environ Med
- Turnbull GJ. selection; Aviat S.

le Values : Dual Test

	Stage	: 11			
	(N = 102)				
MS	LMS	DMS			
2.2	7.4	4.2			
7.3	40.9				
2.3	42.0	49.0			
9.0	47.1	52.5			
52.0	48.6	55.1			
3.7	50.3	59.1			
57,9	53.4	62.6			
59.2	57.1	64.4			
51.0	59.2	67.4			
52.9	60.5	69.9			
64.0	63.6	70.9			
0.66	67.2	72.2			
67.9	67.8	72.6			
69.5	69.2	75.6			
71.4	70.9	76.6			
74.0	72.8	79.7			
76.7	76.4	80.4			
79.3	81.6	84.2			
81.2	85.1	89.8			
84.7	91.6	92.1			
94.9	98.2	92.8			

The data show that ent of improvement from selection to training in mental mance whereas the distent in the case of

e Med. 40 (2) 1996

scores on visual imagery. This gradient is seen across the board in Mental Rotation Test but only in lower score range in the case of Dual Performance Test scores.

The analysis of this data shows that score of 70 in Stage II trainees corresponds to 32 percentile in case of mental rotation test. Further score of 40 on LMS and 50 on DMS corresponds to 9th and 11th percentile values respectively. These values provide pragmatic cut off levels for categorization of trainees in to fighter and non fighter streams.

#### Conclusions and Recommendations

The cognitive test battery has adequate validity for pilot evaluation. The results of Mental Rotation Test and Dual Performance Test in this battery can be used for laying down norms for pilot selection as well as operational classification.

There is a need to follow up performance of pilots in fighter stream for a period of 2 to 3 years particularly the ones who are found to have lower visuo spatial abilities.

This study should be continued for 2 to 3 courses in all Flying Training Establishments so that hypothesis evolved in this study is tested on a larger sample.

#### References

- Kentor JE, Carreta TR. Aircrew selection systems; Aviation Space and Environmental Med 1988; 59:A32-38.
- Banich MT, Elledge VC. Neuropsychological screening of aviators: A review; Aviat Space and Environ Med, 1989; 64: 361 - 366.
- Turnbull GJ. A review of military pilot selection; Aviat Space and Environ Med, 1992.

- 63: 825-30
- Carreta TR: Recent developments in USAF pilot candidate selection and classification; Aviat Space and Environ Med, 1992; 63: 1112-4.
- 5. Bartrum D; Development and evaluation of Micropart Version 4; Ministry of defence, London and ergonomic research group, University of Hull, TR 184,1986
- David O'Hare, Stanley Roscoe, Navigation and communication in Flight Deck performance: The human factor, Iowa State university press, 1990, p. 129-241.
- 7. Dolgin DL, and GD Gibb. Personality assessment in aviator selection, in Richard S Jensen (Ed): Aviation Psychology; Aldershot, Gower Technical, 1989.
- Kelly MJ: Performance during simulated air to air combat; Human Factors: 30: 495-566,1988.
- Gibson The senses considered as perceptual systems: Boston, Houghton Miffin, 1996.
- Gibson.: The ecological approach to visual perception; Boston, Houghton Miffin, 1979.
- Nettelbeck, Hirons, and Wilson: Mental retardation, Inspection time and central attentional impairment; American J of mental defic; 89: 91-98, 1985.
- 12. 1985 Kozlowski and Bryant: Sense of direction, spatial orientation and cognitive maps: J of Experimental psychology: Human perception and performance 1977; 3: 590-598.
- 13. Thorndike PW and B Hayes-Roth: Differences in spatial knowledge acquired from maps and navigation; RAND report No N-1595-DNR, Santa Monica; CA, RAND Corp. 1983.
- Shepard: The Mental Image; The American Psychologist 1978; 33: 125-137.
- 15. Siegel and White: The development of spatial representation of large scale environments in HW Reese (Ed), Advances in

child development and behavior; NY, Academic press, 1975.

- 16. Thurstone LL, TF, Jeffery: Flags, A test of space thinking, the psychometric laboratory. The university of North Carolina
- 17. Vicker: Decision process in visual perception; Academic press; London, 1979.
- 18. Hinton GE, McClelland JI and Rumelhart DE: Distributed representations, in DE Rumelhart, JI. McClelland and PDP research group (Eds): Parallel distributed processing Vol. I Foundations; I Cambridge (Mass), MIT press, 1986.
- Perceptuo cognitive abilities and performance in two groups of successful abinitio flying trainees; Indian J of Λerospace Medicine, 1988; 32 (2) 81-84.
- Comparative analysis of MMPI profiles in two groups of ab-initio flying trainees; Ind J of Aerospace Medicine, 1992; 36(1): 1992; 20-24.
- 21 Correlative study of performance on mental rotation test and outcome of ab-initio flying training; Ind J of Aerospace Medicine, 1994; 38(2): 140-45.

Thirty six airn
recommended
clinically orie
completion test
to voluntary u
born, higher pe
Smirnov One Si
decision makin
the incidences o

Keywords : Air

ersonne immens organisa categorised the Involuntary Ur initiated dism Avoidable: disn potentially avo Unavoidable: en due to illness, far Voluntary Avoida to potentially avo orientation, bette A few studies [2]. may seek discharg being trained as al are significantly e expectations. Gell consider that pers educational and p lead one to believe relatively attracti